

# **CITY OF SAULT STE. MARIE**

## **REQUEST FOR PROPOSAL**

**One (1) New Four-Wheel Drive ¾ Ton Pickup Truck with Snowplow and Liftgate  
B-45-23**

The City of Sault Ste. Marie will receive sealed bids in the office of the City Clerk, City Hall - 225 East Portage Ave., Sault Ste. Marie, Michigan 49783, for Medical Assessments & Physical Evaluations.

Sealed bids will be publicly opened on **Thursday, October 19, 2023, at 3:00 PM** in the City Clerk's office.

To order bid documents or for questions regarding the bidding process please contact the City Clerk's Office at (906) 632-5715 or visit [www.saultcity.com](http://www.saultcity.com).

The City reserves the right to reject any and all bids and to waive irregularities in bids and to accept any bids which in the opinion of the City Commission may be most advantageous to the City of Sault Ste. Marie and in accordance with the City's "Award Process" and other bidding documents.

**ROBIN R. TROYER MMC, DEPUTY CITY MANAGER**

# CITY OF SAULT STE. MARIE

## REQUEST FOR PROPOSAL

One (1) New Four-Wheel Drive  $\frac{3}{4}$  Ton Pickup Truck with Snowplow and Liftgate  
**B-45-23**

### **CONDITIONS:**

Unit bid shall be one (1) new four-wheel drive  $\frac{3}{4}$  -ton pickup truck.

Bidder must use City Proposal Forms. Failure to use City proposal forms will result in rejection of bid.

Bidder must submit with their bid the latest printed specifications and advertising literature on the unit they propose to furnish.

The successful bidder shall supply service manual for vehicle.

The bidder shall list any variations from or exceptions to the conditions and specifications of this bid.

The price quoted shall be F.O.B. Sault Ste. Marie Public Works Garage, 1244 E. Easterday Avenue, Sault Ste. Marie, Michigan.

The City of Sault Ste. Marie reserves the right to accept or reject any and all bids, waive any irregularities and make the award in the best interest of the City.

Bidder is advised that the Municipality is exempt from Federal and State Taxes.

### **MINIMUM SPECIFICATIONS REQUIRED:**

1. Please state make, model and series

---

---

2. The vehicle shall be new full size four-wheel drive,  $\frac{3}{4}$  ton pickup truck, with regular cab (not extended) and 8' box. Truck shall have the factory "plow package" options—heavier springs, transmission cooler, larger alternator, etc.

yes\_\_\_\_\_ no\_\_\_\_\_ Deviation explain\_\_\_\_\_

3. Gross Vehicle Weight Rating: (8,000 lbs. min.)

yes\_\_\_\_\_ no\_\_\_\_\_ Deviation explain\_\_\_\_\_

### **MINIMUM SPECIFICATIONS:**

4. Snowplow prep front end 5000 minimum G.V.W.

Yes \_\_\_\_\_ No \_\_\_\_\_ Deviation explain \_\_\_\_\_

5. State Maximum Payload:

\_\_\_\_\_

6. Wheelbase: (133 Inches Minimum)

yes \_\_\_\_\_ no \_\_\_\_\_ Deviation explain \_\_\_\_\_

### **SPRINGS**

1. Gross Vehicle Weight Rating Front: \_\_\_\_\_  
(Please State)

2. Gross Vehicle Weight Rating Rear: \_\_\_\_\_  
(Please State)

### **TIRES**

1. Mud and snow Radial, 17" with heavy duty rims

Yes \_\_\_\_\_ No \_\_\_\_\_ Deviation explain \_\_\_\_\_

2. One Spare Wheel and Tire - Full Size

Yes \_\_\_\_\_ No \_\_\_\_\_ Deviation explain \_\_\_\_\_

### **ENGINE**

1. Engine fuel type: Gasoline

Yes \_\_\_\_\_ No \_\_\_\_\_ Deviation explain \_\_\_\_\_

2. Size: 5.7 liters, Minimum.

Yes \_\_\_\_\_ No \_\_\_\_\_ Deviation explain \_\_\_\_\_

3. Horsepower: \_\_\_\_\_  
(Please State)

4. Torque: \_\_\_\_\_  
(Please State)

### **MINIMUM SPECIFICATIONS:**

**TRANSMISSION**

1. Automatic Heavy Duty with auxiliary cooler. Minimum 6 (six) speed

Yes\_\_\_\_ No\_\_\_\_ Deviation Explain\_\_\_\_\_

**BRAKES**

1. 4-wheel anti-lock disk brakes

Yes\_\_\_\_ No\_\_\_\_ Deviation explain\_\_\_\_\_

**AXLE:**

1. State Ratio: 3.73 preferred, electronic locking.

Yes\_\_\_\_ No\_\_\_\_ Deviation explain\_\_\_\_\_

**ELECTRICAL SYSTEM**

1. 12 Volt System

Yes\_\_\_\_ No\_\_\_\_ Deviation explain\_\_\_\_\_

2. Alternator: Heavy Duty 160 Ampere (Minimum)

Yes\_\_\_\_ No\_\_\_\_ Deviation explain\_\_\_\_\_

3. Battery - Heavy Duty, Maintenance Free Type (700 Cold Crank Amperes, Minimum)

Yes\_\_\_\_ No\_\_\_\_ Deviation explain\_\_\_\_\_

**SEAT:**

1. Deluxe-Heavy Duty cloth 40-20-40 split bench type with fold down center console. Gray in color.

Yes\_\_\_\_ No\_\_\_\_ Deviation explain\_\_\_\_\_

**RUSTPROOFING:**

1. This vehicle is not to be rustproofed.

## **COLORS**

1. Dark Blue or White Exterior
2. Gray Interior

## **TRUCK TO BE EQUIPPED WITH THE FOLLOWING (IF NOT STANDARD).**

1. Air Conditioning
2. Power windows/Power locks
3. Windshield: Tinted
4. Intermittent Wipers
5. Radio - AM/FM Stereo.
6. Gauges - Fuel, Ammeter, Temperature, Engine Oil Pressure.
7. Engine Heater: Factory installed block heater. (No hose or tank type heaters)
8. Rear Step Type Bumper
9. HD Trailering Equipment, including trailer hitch w/receiver, wiring, and brake controller.
10. Tilt Steering Column.
11. Cruise Control
12. Three sets of keys.

OPTION SECTION: \_\_\_\_\_

---

---

---

---

---

---

## **MINIMUM SPECIFICATIONS:**

**LIFTGATE FEATURES - 55" x 26" x 5" Galvanized frame assembly w/alum platform to include:**

1. Enclosed cylinders and power unit for better reliability.
2. Toggle switch controller for dependability power up power down.
3. Torsion assist for easier opening and closing.
4. 2-PCS folding extruded aluminum platform.
5. 2-PC split bumper design for use with receiver and receiver support brackets.
6. LED S/T/T and back-up lights placed in rear bumper and camera relocation.
7. 150 AMP circuit breaker for electrical protection.
8. No chains or cables used for lifting gate assembly.
9. Liftgate main frame assembly galvanized coated.
10. Lifting capacity of platform 1500-lb – bed height 30-45".
11. 55" x 26" x 5"

**WARRANTY INFORMATION:**

Months \_\_\_\_\_ Miles \_\_\_\_\_

**VEHICLE WARRANTY DETAILS:**

---

---

---

---

**MINIMUM SPECIFICATIONS:**

**Page 6 of 6**

**SNOWPLOW TO BE INSTALLED ON NEW 4-WHEEL DRIVE, ¾-TON PICKUP TRUCK**

Snowplow to be power "V" type with a blade width of 8' 2" and height of 30-½".

Moldboard Constructed of 3/8" poly material with six reinforcement ribs and four trip springs.

Angle Cylinders should be 1-½" x 10" minimum.

Lift Cylinder should be 2" x 1-1/8" x 10" minimum.

Attachment system must be quick attach frame mount.

Lights: High/Low Beam Halogen headlights and directional lights.

Cutting Edge: minimum size ½" x 6" with curb guard ends.

Rubber snow deflector to be installed full width on top side of moldboard.

Control: Plow controls shall be interchangeable handheld and stationary.

**WARRANTY:**

Please describe in detail: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**BID AGREEMENT**

SIGNED: \_\_\_\_\_

PRINTED NAME: \_\_\_\_\_

TITLE: \_\_\_\_\_

FIRM NAME: \_\_\_\_\_

PHONE NUMBER: \_\_\_\_\_

EMAIL (OPTIONAL): \_\_\_\_\_

**Bids due by Thursday, October 19, 2023, at 3:00 PM**

**ADDRESS ENVELOPE:**

**City of Sault Ste. Marie**

Attention City Clerk/Purchasing Agent

225 East Portage Avenue

Sault Ste. Marie, MI 49783

B-45-23 4WD ¾-TON PICKUP W/LIFTGATE & PLOW