



NUMBER OF PARKING STALLS:  
STANDARD: 6  
ADA ACCESSIBLE: 2  
(1 VAN ACCESSIBLE)

PROPOSED PARKING

PROPOSED  
60' x 28' PAVILION  
WITH RESTROOMS

PROPOSED  
8' x 195' SIDEWALK  
TO RESTROOMS

PROPOSED 5' x 280'  
SIDEWALK TO  
ROTARY ISLAND

EXISTING PATH

MAINTAIN 15' CLEAR  
DISTANCE  
OF OVERHEAD  
ELECTRIC (TYP.) AND  
8' CLEAR DISTANCE OF  
UNDERGROUND  
ELECTRIC (TYP.)

ROTARY PARK  
051-039-035  
CITY OF SSM

PROPOSED TREES  
(TYP OF 20)

96 feet of bench space, 6 - 8 foot tables I have 6  
typical, 1 typical ADA, and 1 Van accessible ADA  
on the revised site plan. Which meets both our  
zoning standards and UP SAIL guidelines.



**CITY OF  
SAULT STE. MARIE, MI  
ENGINEERING DEPARTMENT**  
  
225 E PORTAGE AVENUE  
SAULT STE. MARIE, MI 49783  
(906) 632-5730 FAX: (906) 635-5606

SUBJECT:

**ROTARY PARK  
PROPOSED PAVILION  
SITE PLAN**

REVISIONS		
NO.	BY	DATE

**DRAWN BY:** T. PERRON  
**APPROVED:** L. BASISTA  
**SCALE:** H: 1"=30' V: NA  
**FILE:** Rtry-Prk-Pavilion\_SitePlan.DWG  
**DATE:** 09/24/2018

**DRAWER**  
  
**SHEET**  
**1 OF 1**